

TECHNIX RUBBER & PLASTICS LTD

Technix Rubber & Plastics Ltd.

02242826

sales@technix.ie



ABOUT US:	1
PUMP & PLANT TOOL HIRE SPARES	3
AGRI/MACHINERY FACTORS SPARES	19
ANIMAL FEED/MILLING INDUSTRY SPARES	38
FUEL DISTRIBUTORS SPARES	51
FOOD PROCESSING/MANUFACTURING SPARES	61
FITTINGS	70
HOSE ASSEMBLIES	73
HOSE SELECTION	74

Things to remember when enquiring about hose:

- What sort of **pressure** is involved?
 - What sort of **fluid** is being transferred?
 - What **temperature** is the **fluid** going to be?
 - What **diameter** does the hose need to be?
 - What **length** does the hose need to be?
-

*Hosing is typically measured by its **internal diameter**. (I.D.) Sometimes the **outer diameter (O.D.)** may be required. Any queries you may have, call us on **02242826** or email us at **sales@technix.ie***

Pump & Plant Tool Hire Spares





Layflat Hose

- Standard 8 bar pressure
- Heavy duty also in stock
- 100m coils
- Sizes 32 – 152m
- Available fitted in 30m lengths (camlocks or bauer)

Size	Code
32mm	LYFT032
38mm	LYFT038
51mm	LYFT051
63mm	LYFT063
76mm	LYFT076
102mm	LYFT102
125mm	LYFT125
152mm	LYFT152

PVC Suction Hose



- Used for intake for pumps e.g. pressure washing
- Nylon spiral reinforced
- Wide range of fittings available to suit

Size	Code
19mm	PVCS019
25mm	PVCS025
32mm	PVCS032
38mm	PVCS038
51mm	PVCS051
63mm	PVCS063
76mm	PVCS076
102mm	PVCS102
125mm	PVCS125
152mm	PVCS152
176mm	PVCS176
200mm	PVCS200



Rubber Suction Hose

- Used for heavier applications than PVC suction hose
- Comes cut to length or 76mm x 6m fitted w/ bawers
- Wide range of fittings available
- Metal spiral reinforced

Size	Code
32mm	RS032
38mm	RS038
52mm	RS052
76mm	RS076
102mm	RS102



Yellow Washdown Hose

- Alfaflex & Tricoflex brands
- 12.5-52mm internal diameters
- 25m & 50m coils
- Heavy duty 'Yardmaster' also available

Size	Code
12.5mm	AL12-25/50
19mm	AL19-25/50
25mm	AL25-25/50
32mm	AL32-25/50
38mm	AL38-25/50
50mm	AL50-25/50



Cotton Overbraid Fuel Hose

- 20m coils
- Different types of hose for diesel/unleaded
- Full range of fittings to suit e.g. banjo bolts
- Can be cut to order

Size	Code
6mm	CFH006/U
8mm	CFH008/U
10mm	CFH010/U
12mm	CFH012/U

Compressor Assemblies

- Typically ¾" diameter
- Quick release couplings
- Other couplings available upon request
- Replacement seals available

Size	Code
19mm	CA019F
25mm	CA025F



Whipchecks

- Used to ensure safety in the event of a blown coupling
- Steel cables and plated springs
- Small and large sizes available to suit a wide variety of hoses





Braided PVC Hose

- Clear braided PVC hose
- Food quality and standard in stock
- 6-63mm diameters available
- 30m coils
- Versatile, multi-purpose hose

Size	Code
6mm	BPVC006
8mm	BPVC008
10mm	BPVC010
12mm	BPVC012
16mm	BPVC016
19mm	BPVC019
25mm	BPVC025
32mm	BPVC032
38mm	BPVC038
52mm	BPVC052



Plexisteel Reinforced Hose

- Metal wire reinforcing
- 30m coils
- Can be cut to order
- Clear, food quality hosing

Size	Code
8mm	PLX008
10mm	PLX010
12mm	PLX012
16mm	PLX016
19mm	PLX019
25mm	PLX025
32mm	PLX032
38mm	PLX038
42mm	PLX042
52mm	PLX052
63mm	PLX063
76mm	PLX076
102mm	PLX102



Power Wash Hose

- 3/8" Diameter Hose
- 30 ft lengths supplied
- M/F or F/F fittings
- High pressure reinforced hose



Power Wash Lances

- Complete with trigger and nozzle
- Available in 900mm & 1200mm
- 2m extension lance also available
- Bare lance available separately



Power Wash Accessories

- Turbo Nozzles
- Standard Nozzles
- Lances
- Foam Lances
- Triggers
- Hoses
- Fittings
- Strainers
- Clips & Clamps
- Reels

When enquiring about power wash accessories, it is important to be aware of the **working pressure (bar)** and **flow rate (ltr/m)** of your washer so we can provide the perfect component for you.

Regulation Valves



- For use with pressure washers
- 3/8" size outlet and inlet
- 80 l/m capability
- Max 280 bar pressure



Drain Cleaning Jets



- Used for unblocking drains with a pressure washer
- Nozzles sold separately or as assembly w/ hose

Kranzle Agents Sales & Repair Service





Nylon Hose

- Pneumatic tubing typically used for airline applications
- 30m Coils
- Range of colours in stock
- Used with olives & push in fittings

Size	Code
4.5mm	NYL04.5
6mm	NYL06
8mm	NYL08
10mm	NYL10
12mm	NYL12



Push in Fittings

- Large range of push in & quick release fittings in stock.



Double Bolt Clamps

- 2 bolt design for effective clamping
- Sizes 1/2" to 6"
- Solid durable design



Rubber Seals

- Replacement seals for pneumatic fittings
- All sizes available



Superclamps & Jubilee Clips

- Large range of superclamps in stock in both stainless and galvanise finishes



Hose Tails & Joiners

- Extensive stock of fittings available
- 1/8" - 6"
- BSP, JIC, Metric, Imperial, Flatface and many more standards available
- Hydraulic hoses made to order



Quick Release Hydraulic, Air and Fluid Couplings

- Used for detachable hydraulic applications
- Stainless steel
- All hydraulic hoses made to order, extensive stock of fittings in house.

"If it flows, we have the hose"


Contact Sales:

02242825

sales@technix.ie

Camlock Couplings

- 1" – 4" sizes in stock
- Metal or plastic construction
- Parts A-F
- Replacement seals in stock



Bauer Couplings

- Galvanised finish
- Sizes 3"-6" in general
- Replacement O rings in stock
- All hoseclamps & hose to suit in stock



Foot Valves

- Cast iron & PVC available
- 2", 3", 4" & 6" sizes in stock



Kingshank Fittings

- Full range of kingshank fittings in stock
- 1 1/4" – 6"
- Replacement seals available



All hydraulic hoses made to order



Massive range of fittings in stock



Fire Hydrant Layflat Hose

- Red overbraid provides a strong, durable hose
- Suitable for use with standpipes
- Wide range of fittings in stock



Single Head Brigade Standpipe

- Single standpipe in aluminium alloy with standard 2.5" female BSRT inlet
- Key and Bar included
- Cork area standpipe also in stock



Instantaneous Couplings

- Suitable for use with anti-fire equipment
- Light Alloy construction



Fire Hose Reel

- Hose reel for use with fire hosing
- Swivel wall mounting bracket
- High quality build



Red Fire Hose

- Strong hose for use in anti-fire systems
- 1" & 3/4" I.D.'s in stock



Spray Jet Nozzles

- For use with fire hose
- On/Off lever



Things to remember when enquiring about hose:

- What sort of **pressure** is involved?
 - What sort of **fluid** is being transferred?
 - What temperature is the **fluid** going to be?
 - What **diameter** does the hose need to be?
 - What **length** does the hose need to be?
-

Hosing is typically measured by its **internal diameter**. (I.D.) Sometimes the **outer diameter (O.D.)** may be required. Any queries you may have, call us on **02242826** or email us at **sales@technix.ie**



Green Oil Gloves

- Sand finished gloves
- Most popular gloves for fuel systems handling
- Sizes small – extra-large in stock
- Large stock of other gloves available



Red 11" PVC Gloves

- Long sleeved gloves for maximum protection
- Sand finished grip
- Used for messy applications



Red PVC Gloves Knitwrist

- PVC gloves with cotton wrist for maximum comfort
- Sizes small to XL available



Green Grip Gloves

- Cotton gloves with green sand finished grip
- Comfortable working gloves
- Sizes small to XL available



Brunox Turbo Spray

- Lubricant
- Rust Remover
- Penetretant
- Cleanser
- Contact Spray
- 100ml-500ml cans available

APPLICATION AND EFFECT

Lubricant:

- BRUNOX® Turbo-Spray® is a long-term lubricant based on a balanced mixture of hydrocarbons with the additive TURBOLINE.

Creep oil / Rust loosener

- BRUNOX® Turbo-Spray® is a multi-component lubricant which has an excellent penetration effect. Therefore it is capable of penetrating into finest hair-chaps and spaces and, for example, loosens tightened screws in a very short time. It loosens rust and frees sticky mechanisms.

Anti-corrosion

- BRUNOX® Turbo-Spray® guarantees complete corrosion protection and also conservation of hollow spaces. The hydrocarbon mixture which is responsible for this guarantees both a compact protection film and also the necessary film thickness which displaces any humidity. It forms a clear, invisible, non-hardening film which does not need to be removed in most cases. (Exception: painting). This film provides temporary protection against corrosion (approx. 6 months) and has a dirt repelling effect.

Cleaning agent

- BRUNOX® Turbo-Spray® penetrates and removes mineral and organic dirt so that spots of (almost) all kinds (e.g. tar, brake dust, adhesive residues etc.) can be easily wiped off. It neutralizes hand sweat and also protects aluminum, copper, brass, chromium plated and galvanized sheet metal and stainless steel.

Agri/Machinery Factors Spares






Slurry Hose

- Straight lengths in 15ft and 20ft
- 4", 5" & 6" available in straight lengths
- Smaller sizes available in coils or cut to order

Size	Code
5" x 15ft	SLY515
5" x 20ft	SLY520
6" x 15ft	SLY615
6" x 20ft	SLY620



PVC Suction Hose

- Used for intake for pumps e.g. pressure washing
- PVC coil reinforced
- Sizes 25-152mm available
- Wide range of fittings available to suit

Size	Code
19mm	PVCS019
25mm	PVCS025
32mm	PVCS032
38mm	PVCS038
51mm	PVCS051
63mm	PVCS063
76mm	PVCS076
102mm	PVCS102
125mm	PVCS125
152mm	PVCS152
176mm	PVCS176
200mm	PVCS200



Milk Hose

- Food quality suction hose ideal for milk transfer
- Sizes 25-75mm in stock

Size	Code
25mm	MILK025
38mm	MILK038
51mm	MILK051
63mm	MILK063
76mm	MILK076



Layflat Hose

- Standard 8 bar pressure
- Heavy duty also in stock
- 100m coils
- Sizes 32 – 152mm
- Available fitted in 30m lengths (camlocks or bauer)

Size	Code
32mm	LYFT032
38mm	LYFT038
51mm	LYFT051
63mm	LYFT063
76mm	LYFT076
102mm	LYFT102
125mm	LYFT125
152mm	LYFT152



Rubber Suction Hose

- Used for heavier applications than PVC suction hose
- Comes cut to length or 76mm x 6m fitted w/ bawers
- Wide range of fittings available
- Metal spiral reinforced

Size	Code
32mm	RS032
38mm	RS038
52mm	RS052
76mm	RS076
102mm	RS102



Radiator Hose

- Available in 1m lengths 22mm up to 102mm
- Full range of elbows and angle lengths in stock



Heater Hose

- Used for automotive heating applications
- Sizes 12-25mm
- Full range of elbows and angle lengths in stock

Size	Code
12mm	HH012
16mm	HH016
19mm	HH019
22mm	HH022
25mm	HH025

Regulation Valves

- For use with pressure washers
- 3/8" size outlet and inlet
- 80 l/m capability
- Max 280 bar pressure



Kranzle Agents Sales & Repair Service





Power Wash Hose

- 3/8" Diameter Hose
- 30 ft lengths supplied
- M/F or F/F fittings
- High pressure reinforced hose



Power Wash Lances

- Complete with trigger and nozzle
- Available in 900mm & 1200mm
- 2m extension lance also available
- Bare lance available separately



Power Wash Accessories

- Turbo Nozzles
- Standard Nozzles
- Lances
- Triggers
- Hoses
- Fittings
- Strainers
- Clips & Clamps
- Reels



When enquiring about power wash accessories, it is important to be aware of the **working pressure (bar)** and **flow rate (ltr/m)** of your washer so we can provide the perfect component for you.



Superclamps & Jubilee Clips

- Large range of superclamps in stock in both stainless and galvanise finishes



All hydraulic hoses made to order



Massive range of fittings in stock



Diesel Hose

- 50 metre coils
- 19 & 25mm available
- Standard & rubber (carbo) construction
- Fittings, valves & pumps all available for fuel transfer applications

Size	Code
19mm / Carbo	DH019/C
25mm / Carbo	DH025/C



Diesel Hose Assemblies

- 3m or 5m length hose
- 25mm internal diameter
- Manual nozzle included
- Lever Valve and relative fittings supplied
- Comes assembled ready for use
- Standard or Carbo

Size	Code
3m	DK003
5m	DH005



Cotton Overbraid Fuel Hose

- 20m coils
- Different types of hose for diesel/unleaded
- Full range of fittings to suit e.g. banjo bolts
- Can be cut to order

Size	Code
6mm	CFH006/U
8mm	CFH008/U
10mm	CFH010/U
12mm	CFH012/U



Manual Fuel Nozzles

- Typically 1"
- 19mm spout available for unleaded



Automatic Fuel Nozzles

- Automatic shut off
- High quality build with PVC guard



AdBlue Nozzles

- PVC chemical resistant construction
- White body with stainless spout
- 19mm or 25mm hose tail



Diesel Transfer Pump & Meter

- High quality professional diesel pump kit
- Automatic nozzle included
- 230v 50Hz operation



12/24v Diesel Transfer Kit

- Comes with manual nozzle, suction hose, delivery hose, fuel pump and required fittings



Diesel Filters

- 30-micron filtration
- 70ltr/min max flow rate
- 4 bar max pressure
- In line adaptor available



Hose Tails

- 1/8" to 1" sizes available
- BSP Thread
- High quality



Non-Return Valves

- Used on electric pumps
- Stops fuel running back into tank
- Plenty of sizes available
- Brass construction



Lever Valves

- 3/8" – 4" sizes available
- Stainless steel construction



Hex Nipples

- Full range of sizes available
- 1/4" – 4"



Sight Gauges

- Used for determining the amount of liquid left in a tank
- Cut to correct length
- Easy installation
- Good quality



Swivels

- Fitted to hose or pump to enable easy movement of nozzle/hose
- Range of sizes available



Non-Return Valves

- Used on electric pumps
- Stops fuel running back into tank
- Plenty of sizes available
- Brass construction



Foliac Paste

- Used to seal assembled units



Sprayer Hose

- High pressure agricultural sprayer hose
- Corrosion resistant construction
- 40 bar pressure rating
- Heavy duty hose
- 50m coils

Size	Code
10mm	PRF010
12mm	PRF012
16mm	PRF016
19mm	PRF019
25mm	PRF025



Multi-Purpose Hose

- Suitable for oil, gas, water, diesel etc.
- 50m coils
- Sizes 6-25mm available

Size	Code
6mm	MP006
8mm	MP008
10mm	MP010
12mm	MP012
16mm	MP016
19mm	MP019
25mm	MP025

"If it flows, we have the hose"

Contact Sales:

02242825

sales@technix.ie



Oil Return Hose

- Used in hydraulics, transmissions etc.
- Sizes 32-51mm
- Cut to order, typically 5-10m


Size	Code
32mm	ORH032
38mm	ORH038
45mm	PRF016
51mm	PRF019



PVC Ducting Hose

- Also known as Code 55
- Used for dust & fume extraction
- Sizes 25-152mm
- PVC or copper wire reinforced
- Opaque or semi-translucent finishes

Size	Code
25mm	PVCD025
32mm	PVCD032
38mm	PVCD038
51mm	PVCD051
63mm	PVCD063
76mm	PVCD076
102mm	PVCD102
125mm	PVCD125
152mm	PVCD152
176mm	PVCD176
200mm	PVCD200





Oxygen/Acetylene Hose

- Blue hose for use with oxygen
- Red hose also available for acetylene
- Can be used for air
- 6, 8, & 10mm diameters available
- 100m coils

Size	Code
6mm	OXY006/ACE006
8mm	OXY008/ACE008
10mm	OXY010/ACE010



Propane Hose

- Used for transfer of propane
- 100m coils
- Sizes 6, 8 & 10mm

Size	Code
6mm	PRP006
8mm	PRP008
10mm	PRP010



Black Air Hose

- Standard Black air hose
- Comes in 100m coils
- Sizes 6-12mm available

Size	Code
6mm	BLA006
8mm	BLA008
10mm	BLA010
12mm	BLA012



Yellow Air Hose


- Heavy duty larger diameter air hose
- Used for tougher applications
- 50m coils
- Sizes 12-25mm available



Rubber Sheetting

- Rubber cut to length or sold as full roll
- Sizes 3mm to 12mm thickness
- 10m rolls
- Large variety of uses

Size	Code
3mm	RBS003
6mm	RBS006
8mm	RBS008
10mm	RBS010
12mm	RBS012
15mm	RBS015



Rubber Matting – Ribbed

- Available in 3mm & 6mm
- Fine rib on one side
- Wide range of uses
- 10m rolls

Size	Code
3mm x 1m	RBM003x1
6mm x 1m	RBM006x1
6mm x 1.4m	RBM006x1.4




Anti-Fatigue Mats

- Ideal for working whilst standing for long periods of time
- Comes in a wide range of sizes

Camlock Couplings

- 1" – 4" sizes in stock
- Metal or plastic construction
- Parts A-F
- Replacement seals in stock



Bauer Couplings

- Galvanised finish
- Sizes 3"-6" in general
- Replacement O rings in stock
- All hoseclamps & hose to suit in stock



Things to remember when enquiring about hose:

- What sort of **pressure** is involved?
- What sort of **fluid** is being transferred?
- What **temperature** is the **fluid** going to be?
- What **diameter** does the hose need to be?
- What **length** does the hose need to be?

Hosing is typically measured by its **internal diameter**. (I.D.) Sometimes the **outer diameter (O.D.)** may be required. Any queries you may have, call us on **02242826** or email us at **sales@technix.ie**



Green Oil Gloves

- Sand finished gloves
- Most popular gloves for fuel systems handling
- Sizes small – extra-large in stock
- Large stock of other gloves available



Red 11" PVC Gloves

- Long sleeved gloves for maximum protection
- Sand finished grip
- Used for messy applications



Red PVC Gloves Knitwrist

- PVC gloves with cotton wrist for maximum comfort
- Sizes small to XL available



Green Grip Gloves

- Cotton gloves with green sand finished grip
- Comfortable working gloves
- Sizes small to XL available



Brunox Turbo Spray

- Lubricant
- Rust Remover
- Penetretant
- Cleanser
- Contact Spray
- 100ml-500ml cans available

APPLICATION AND EFFECT

Lubricant:

- BRUNOX® Turbo-Spray® is a long-term lubricant based on a balanced mixture of hydrocarbons with the additive TURBOLINE.

Creep oil / Rust loosener

- BRUNOX® Turbo-Spray® is a multi-component lubricant which has an excellent penetration effect. Therefore it is capable of penetrating into finest hair-chaps and spaces and, for example, loosens tightened screws in a very short time. It loosens rust and frees sticky mechanisms.

Anti-corrosion

- BRUNOX® Turbo-Spray® guarantees complete corrosion protection and also conservation of hollow spaces. The hydrocarbon mixture which is responsible for this guarantees both a compact protection film and also the necessary film thickness which displaces any humidity. It forms a clear, invisible, non-hardening film which does not need to be removed in most cases. (Exception: painting). This film provides temporary protection against corrosion (approx. 6 months) and has a dirt repelling effect.

Cleaning agent

- BRUNOX® Turbo-Spray® penetrates and removes mineral and organic dirt so that spots of (almost) all kinds (e.g. tar, brake dust, adhesive residues etc.) can be easily wiped off. It neutralizes hand sweat and also protects aluminum, copper, brass, chromium plated and galvanized sheet metal and stainless steel.

Animal Feed/Milling Industry Spares






Animal Feed Hose

- Normally 102mm I.D.
- Special anti-abrasive lining
- Available fitted with camlocks (E & C)
- Large range of fittings & clamps to suit
- Replacement camlock seals in stock
- 7ft-12ft lengths available
- Also available w/ outer metal spiral
- Available in lengths to customers specs

Size	Code
7ft/fitted	AFH7/F
8ft/fitted	AFH8/F
9ft/fitted	AFH9/F
12ft/fitted	AFH12/F



"If it flows, we have the hose"

Contact Sales:

02242825


sales@technix.ie



Slurry Hose

- Straight lengths in 15ft and 20ft
- 4", 5" & 6" available in straight lengths
- Smaller sizes available in coils or cut to order

Size	Code
5" x 15ft	SLY515
5" x 20ft	SLY520
6" x 15ft	SLY615
6" x 20ft	SLY620



PVC Suction Hose

- Can be used as a cheaper alternative to animal feed hose
- Used for intake for pumps e.g. pressure washing
- PVC coil reinforced
- Sizes 25-152mm available
- Wide range of fittings available to suit

Size	Code
19mm	PVCS019
25mm	PVCS025
32mm	PVCS032
38mm	PVCS038
51mm	PVCS051
63mm	PVCS063
76mm	PVCS076
102mm	PVCS102
125mm	PVCS125
152mm	PVCS152
176mm	PVCS176
200mm	PVCS200



Oil Return Hose

- Used in hydraulics, transmissions etc.
- Sizes 32-51mm
- Cut to order, typically 5-10m



Size	Code
32mm	ORH032
38mm	ORH038
45mm	PRF016
51mm	PRF019



PVC Ducting Hose


- Also known as Code 55
- Used for dust & fume extraction
- Sizes 25-152mm
- PVC or copper wire reinforced
- Opaque or semi-translucent finishes

Size	Code
25mm	PVCD025
32mm	PVCD032
38mm	PVCD038
51mm	PVCD051
63mm	PVCD063
76mm	PVCD076
102mm	PVCD102
125mm	PVCD125
152mm	PVCD152
176mm	PVCD176
200mm	PVCD200



Camlock Couplings

- 1" – 4" sizes in stock
- Metal or plastic construction
- Parts A-F
- Replacement seals in stock



Bauer Couplings

- Galvanised finish
- Sizes 3"-6" in general
- Replacement O rings in stock
- All hoseclamps & hose to suit in stock



Things to remember when enquiring about hose:

- What sort of **pressure** is involved?
- What sort of **fluid** is being transferred?
- What **temperature** is the **fluid** going to be?
- What **diameter** does the hose need to be?
- What **length** does the hose need to be?

Hosing is typically measured by its **internal diameter**. (I.D.) Sometimes the **outer diameter (O.D.)** may be required. Any queries you may have, call us on **02242826** or email us at **sales@technix.ie**



Superclamps & Jubilee Clips

- Large range of superclamps in stock in both stainless and galvanise finishes



All hydraulic hoses made to order



Massive range of fittings in stock



Power Wash Hose

- 3/8" Diameter Hose
- 30 ft lengths supplied
- M/F or F/F fittings
- High pressure reinforced hose



Power Wash Lances

- Complete with trigger and nozzle
- Available in 900mm & 1200mm
- 2m extension lance also available
- Bare lance available separately



Power Wash Accessories

- Turbo Nozzles
- Standard Nozzles
- Lances
- Triggers
- Hoses
- Fittings
- Strainers
- Reels



When enquiring about power wash accessories, it is important to be aware of the **working pressure (bar)** and **flow rate (ltr/m)** of your washer so we can provide the perfect component for you.

Regulation Valves

- For use with pressure washers
- 3/8" size outlet and inlet
- 80 l/m capability
- Max 280 bar pressure



Kranzle Agents Sales & Repair Service





Nylon Hose

- Pneumatic tubing typically used for airline applications
- 30m Coils
- Range of colours in stock
- Used with olives & push in fittings

Size	Code
4.5mm	NYL04.5
6mm	NYL06
8mm	NYL08
10mm	NYL10
12mm	NYL12



Push in Fittings

- Large range of push in & quick release fittings in stock.

Compressor Assemblies

- Typically 3/4" diameter
- Quick release couplings
- Other couplings available upon request
- Replacement seals available




Size	Code
19mm	CA019F
25mm	CA025F



Rubber Sheeting

- Rubber cut to length or sold as full roll
- Sizes 3mm to 12mm thickness
- 10m rolls
- Large variety of uses including gaskets

Size	Code
3mm	RBS003
6mm	RBS006
8mm	RBS008
10mm	RBS010
12mm	RBS012
15mm	RBS015



Rubber Matting – Ribbed

- Available in 3mm & 6mm
- Fine rib on one side
- Wide range of uses
- 10m rolls

Size	Code
3mm x 1m	RBM003x1
6mm x 1m	RBM006x1
6mm x 1.4m	RBM006x1.4



Anti-Fatigue Mats

- Ideal for working whilst standing for long periods of time
- Comes in a wide range of sizes



Green Oil Gloves

- Sand finished gloves
- Most popular gloves for fuel systems handling
- Sizes small – extra-large in stock
- Large stock of other gloves available



Red 11" PVC Gloves

- Long sleeved gloves for maximum protection
- Sand finished grip
- Used for messy applications



Red PVC Gloves Knitwrist

- PVC gloves with cotton wrist for maximum comfort
- Sizes small to XL available



Green Grip Gloves

- Cotton gloves with green sand finished grip
- Comfortable working gloves
- Sizes small to XL available



Brunox Turbo Spray

- Lubricant
- Rust Remover
- Penetretant
- Cleanser
- Contact Spray
- 100ml-500ml cans available

APPLICATION AND EFFECT

Lubricant:

- BRUNOX® Turbo-Spray® is a long-term lubricant based on a balanced mixture of hydrocarbons with the additive TURBOLINE.

Creep oil / Rust loosener

- BRUNOX® Turbo-Spray® is a multi-component lubricant which has an excellent penetration effect. Therefore it is capable of penetrating into finest hair-chaps and spaces and, for example, loosens tightened screws in a very short time. It loosens rust and frees sticky mechanisms.

Anti-corrosion

- BRUNOX® Turbo-Spray® guarantees complete corrosion protection and also conservation of hollow spaces. The hydrocarbon mixture which is responsible for this guarantees both a compact protection film and also the necessary film thickness which displaces any humidity. It forms a clear, invisible, non-hardening film which does not need to be removed in most cases. (Exception: painting). This film provides temporary protection against corrosion (approx. 6 months) and has a dirt repelling effect.

Cleaning agent

- BRUNOX® Turbo-Spray® penetrates and removes mineral and organic dirt so that spots of (almost) all kinds (e.g. tar, brake dust, adhesive residues etc.) can be easily wiped off. It neutralizes hand sweat and also protects aluminum, copper, brass, chromium plated and galvanized sheet metal and stainless steel.

Fuel Distributors Spares





Diesel Hose

- 50 metre coils
- 19 & 25mm available
- Standard & rubber (carbo) construction
- Fittings, valves & pumps all available for fuel transfer applications

Size	Code
19mm / Carbo	DH019/C
25mm / Carbo	DH025/C



Diesel Hose Assemblies

- 3m or 5m length hose
- 25mm internal diameter
- Manual nozzle included
- Lever Valve and relative fittings supplied
- Comes assembled ready for use
- Standard or Carbo

Size	Code
3m	DK003
5m	DH005



Cotton Overbraid Fuel Hose

- 20m coils
- Different types of hose for diesel/unleaded
- Full range of fittings to suit e.g. banjo bolts
- Can be cut to order

Size	Code
6mm	CFH006/U
8mm	CFH008/U
10mm	CFH010/U
12mm	CFH012/U



Manual Fuel Nozzles

- Typically 1"
- 19mm spout available for unleaded



Automatic Fuel Nozzles

- Automatic shut off
- High quality build with PVC guard



AdBlue Nozzles

- PVC chemical resistant construction
- White body with stainless spout
- 19mm or 25mm hose tail



Diesel Transfer Pump & Meter

- High quality professional diesel pump kit
- Automatic nozzle included
- 230v 50Hz operation



12/24v Diesel Transfer Kit

- Comes with manual nozzle, suction hose, delivery hose, fuel pump and required fittings
- Pump can be sold separately



Diesel Filters

- 30-micron filtration
- 70ltr/min max flow rate
- 4 bar max pressure
- In line adaptor available



Hose Tails

- 1/8" to 1" sizes available
- BSP Thread
- High quality



Non-Return Valves

- Used on electric pumps
- Stops fuel running back into tank
- Plenty of sizes available
- Brass construction



Lever Valves

- 3/8" – 4" sizes available
- Stainless steel construction



Hex Nipples

- Full range of sizes available
- 1/4" – 4"



Sight Gauges

- Used for determining the amount of liquid left in a tank
- Cut to correct length
- Easy installation
- Good quality



Swivels

- Fitted to hose or pump to enable easy movement of nozzle/hose
- Range of sizes available



Non-Return Valves

- Used on electric pumps
- Stops fuel running back into tank
- Plenty of sizes available
- Brass construction



Foliac Paste

- Used to seal assembled units



Superclamps & Jubilee Clips

- Large range of superclamps in stock in both stainless and galvanise finishes



All hydraulic hoses made to order



Massive range of fittings in stock

"If it flows, we have the hose"

Contact Sales:

02242825

sales@technix.ie

Hose Tails & Fittings



- Extensive stock of fittings available
- 1/8" – 6"
- BSP, JIC, Metric, Imperial, Flatface and many more standards available
- Hydraulic hoses made to order




Quick Release Hydraulic Couplings

- Used for detachable hydraulic applications
- Stainless steel
- All hydraulic hoses made to order, extensive stock of fittings in house.



Camlock Couplings

- 1" – 4" sizes in stock
- Metal or plastic construction
- Parts A-F





Green Oil Gloves

- Sand finished gloves
- Most popular gloves for fuel systems handling
- Sizes small – extra-large in stock
- Large stock of other gloves available



Red 11" PVC Gloves

- Long sleeved gloves for maximum protection
- Sand finished grip
- Used for messy applications



Red PVC Gloves Knitwrist

- PVC gloves with cotton wrist for maximum comfort
- Sizes small to XL available



Green Grip Gloves

- Cotton gloves with green sand finished grip
- Comfortable working gloves
- Sizes small to XL available



Brunox Turbo Spray

- Lubricant
- Rust Remover
- Penetretant
- Cleanser
- Contact Spray
- 100ml-500ml cans available

APPLICATION AND EFFECT

Lubricant:

- BRUNOX® Turbo-Spray® is a long-term lubricant based on a balanced mixture of hydrocarbons with the additive TURBOLINE.

Creep oil / Rust loosener

- BRUNOX® Turbo-Spray® is a multi-component lubricant which has an excellent penetration effect. Therefore it is capable of penetrating into finest hair-chaps and spaces and, for example, loosens tightened screws in a very short time. It loosens rust and frees sticky mechanisms.

Anti-corrosion

- BRUNOX® Turbo-Spray® guarantees complete corrosion protection and also conservation of hollow spaces. The hydrocarbon mixture which is responsible for this guarantees both a compact protection film and also the necessary film thickness which displaces any humidity. It forms a clear, invisible, non-hardening film which does not need to be removed in most cases. (Exception: painting). This film provides temporary protection against corrosion (approx. 6 months) and has a dirt repelling effect.

Cleaning agent


- BRUNOX® Turbo-Spray® penetrates and removes mineral and organic dirt so that spots of (almost) all kinds (e.g. tar, brake dust, adhesive residues etc.) can be easily wiped off. It neutralizes hand sweat and also protects aluminum, copper, brass, chromium plated and galvanized sheet metal and stainless steel.

Food Processing/Manufacturing Spares



Red Milk Hose Suction/ Delivery

- Hose for transfer of milk and other fluids requiring food grade materials
- Sizes 25-76mm in stock
- 65°C max. working temperature
- 50m coils
- Call today for more specifications



Clear PVC Hose

- Clear PVC hosing with 2 wall sizes available; 3mm or 6mm
- Sizes 3-51mm in stock
- 30m coils
- Food quality materials
- Wide range of uses



Clear Reinforced PVC Hose

- Braided reinforced PVC hose
- Sizes 5-51mm in stock
- 30m Coils
- Food quality materials
- Wide range of uses





Nylon Hose

- Pneumatic tubing typically used for airline applications
- 30m Coils
- Range of colours in stock
- Used with olives & push in fittings



Alfaclean

- Blue cover hose for cold washing applications
- 20 or 40 bar pressure ratings
- Sizes 12,19 & 25mm in stock






Rubber Insertion

- Rubber cut to length or sold as full roll
- Gauges 1.5mm to 12mm thickness
- 10m rolls
- Large variety of uses such as gaskets



White Rubber Sheeting: FDA Approved

- Gauges 1.5-12mm
- Food quality material



Rubber Matting – Ribbed

- Available in 3mm & 6mm
- Fine rib on one side
- Wide range of uses
- 10m rolls



Anti-Fatigue Mats

- Ideal for working whilst standing for long periods of time
- Comes in a wide range of sizes

Rubber Suction Hose

- Blue, corrugated cover with white inner lining
- Wire spiral reinforced
- Food quality materials
- 10 bar operating pressure
- Sizes 25-76mm available
- Full range of fittings to suit

Rubber Delivery Hose

- Textile reinforced food quality delivery hose
- Wire and textile membrane
- Delivery of dairy liquids
- 10 bar operating pressure
- Call for more specifications

Hot Wash Steam Hose

- Textile and wire membrane
- 100m coils
- Blue, red and white colours available
- Sizes 12-38mm in stock
- Enquire for further technical data

"If it flows, we have the hose"

Contact Sales:


02242825

sales@technix.ie



Camlock Couplings

- 3/4"– 4" sizes in stock
- Available in aluminium, polypropylene, and stainless
- Replacement seals available



Triclover Fittings

- Full range of sizes available
- Call for more details



Water Spray Guns

- Good selection in stock
- Call for more details





Jubilee Clips

- Large range of jubilee clips to suit every size of hose
- Good quality clips stocked
- Available zinc coated or stainless steel



Superclamps

- Single bolt design for dependable clamping
- Full range of sizes available
- Available zinc coated or stainless steel



DIN Clamps

- Full range of sizes available
- Strong design for heavy duty applications
- Available in aluminium or stainless steel



SMS Couplings

- High quality design
- Stainless steel construction
- Range of sizes available
- Call for more details

Green Oil Gloves



- Sand finished gloves
- Most popular gloves for fuel systems handling
- Sizes small – extra-large in stock
- Large stock of other gloves available

Red 11" PVC Gloves



- Long sleeved gloves for maximum protection
- Sand finished grip
- Used for messy applications

Red PVC Gloves Knitwrist



- PVC gloves with cotton wrist for maximum comfort
- Sizes small to XL available

Green Grip Gloves



- Cotton gloves with green sand finished grip
- Comfortable working gloves
- Sizes small to XL available



Brunox Turbo Spray

- Lubricant
- Rust Remover
- Penetretant
- Cleanser
- Contact Spray
- 100ml-500ml cans available

APPLICATION AND EFFECT

Lubricant:

- BRUNOX® Turbo-Spray® is a long-term lubricant based on a balanced mixture of hydrocarbons with the additive TURBOLINE.

Creep oil / Rust loosener

- BRUNOX® Turbo-Spray® is a multi-component lubricant which has an excellent penetration effect. Therefore it is capable of penetrating into finest hair-chaps and spaces and, for example, loosens tightened screws in a very short time. It loosens rust and frees sticky mechanisms.

Anti-corrosion

- BRUNOX® Turbo-Spray® guarantees complete corrosion protection and also conservation of hollow spaces. The hydrocarbon mixture which is responsible for this guarantees both a compact protection film and also the necessary film thickness which displaces any humidity. It forms a clear, invisible, non-hardening film which does not need to be removed in most cases. (Exception: painting). This film provides temporary protection against corrosion (approx. 6 months) and has a dirt repelling effect.

Cleaning agent

- BRUNOX® Turbo-Spray® penetrates and removes mineral and organic dirt so that spots of (almost) all kinds (e.g. tar, brake dust, adhesive residues etc.) can be easily wiped off. It neutralizes hand sweat and also protects aluminum, copper, brass, chromium plated and galvanized sheet metal and stainless steel.

Fittings





Hose Assemblies



Layflat Hose Assemblies

- Used in pumping discharge applications
- Available in 6m lengths
- Bauer or Camlock fittings available



PVC Suction Hose Assemblies

- Used in pumping intake applications
- Available in a variety of lengths
- Bauer or Camlock fittings available



Rubber Suction Hose Assemblies

- Used for heavier applications than PVC suction
- 6m lengths in 76mm & 102mm I.D.
- Bauer or Camlock fittings available



Compressor Assemblies

- Typically 3/4" diameter
- Quick release couplings
- Other couplings available upon request
- Replacement seals available

Hose Selection

- Alfalfex (Yellow Washdown Hose)
- Animal Feed Hose
- Baccus (Milk Tank Hose)
- Black Air Hose
- Blue Milk S&D Hose
- Braided PVC Hose
- Clear PVC Hose
- Code 55 (Ducting)
- Cotton Overbraid Fuel Hose
- Diesel Hose
- Fire Hose
- Fuel Hose
- Heater Hose
- Hydraulic Hose
- Layflat Hose
- Multi-Purpose Hose (Oil, Air & Water)
- Nylon Hose
- Oxygen Hose/Acetylene Hose
- Paint Hose
- Plexisteel Hose
- PVC Suction
- Radiator Hose
- Rubber Suction Hose
- Sprayer Hose
- Slurry Hose
- Steam Hose
- Yellow Air Hose

Inches	Millimetres
1/4"	6mm
5/16"	8mm
3/8"	10mm
1/2"	12.5mm
5/8"	16mm
3/4"	19mm
1"	25mm
1 1/4"	32mm
1 1/2"	38mm
2"	50mm
2 1/2"	63mm
3"	75mm
4"	100mm

Things to remember when enquiring about hose:

- What sort of **pressure** is involved?
 - What sort of **fluid** is being transferred?
 - What temperature is the **fluid** going to be?
 - What **diameter** does the hose need to be?
 - What **length** does the hose need to be?
-

Hosing is typically measured by its **internal diameter**. (I.D.) Sometimes the **outer diameter (O.D.)** may be required. Any queries you may have, call us on **02242826** or email us at **sales@technix.ie**
