

TRIGGER GUNS WITH SAFETY CATCH

STARLET

Working pressure max.	bar / MPa	250 / 25
Water flow rate max.	l/min	40
Temperature max.	°C	150



Inlet	M22x1.5 male
Output	1/4" female

Order No.	12326
------------------	--------------



Inlet	3/8" female
Output	1/4" female

Order No.	12320
------------------	--------------



Inlet	Quick-Release insert D12
Output	Quick-Release coupling D12

■ with Quick-Release coupling

Order No.	123273
------------------	---------------



Inlet	M22x1.5 male
Output	M22x1.5 male

Order No.	12327
------------------	--------------



Inlet	M22x1.5 male
Output	M22x1.5 female

■ with threaded fitting

Order No.	123271
------------------	---------------



Inlet	M22x1.5 male
Output	Quick-Release coupling D12

■ with Quick-Release coupling

Order No.	123272
------------------	---------------



Inlet	M22x1.5 male
Output	3/8" Female

Order No.	12329
------------------	--------------



Inlet	M22x1.5 male
Output	M22x1.5 female

■ with threaded fitting

Order No.	123202
------------------	---------------



Inlet	M22x1.5 male
Output	Quick-Release coupling D12

■ with Quick-Release coupling

Order No.	12328
------------------	--------------



Order No.	12299
------------------	--------------



Fig. 123203-D2507

■ with stainless steel lance cranked and flat jet nozzle
 ■ Inlet: M22x1.5 male

Nozzle size	Colour	Order No.
without HP nozzle		123203-XXX
D2505	●	123203-D2505
D2507	●	123203-D2507
D2508	●	123203-D2508
D25045	●	123203-D25045
M20125	●	123203-M20125
M25055	●	123203-D25055

TRIGGER GUNS WITH SAFETY CATCH

M2000

Working pressure max.	bar / MPa	270 / 27
Water flow rate max.	l/min	30
Temperature max.	°C	150

M2000 - short version



Inlet	M22x1.5 male
Output	1/4" female

Order No.	12490
------------------	--------------

M2000 - short version



Inlet	3/8" female
Output	1/4" female

Order No.	12493
------------------	--------------

M2000 - short version



Inlet	M22x1.5 male
Output	M22x1.5 female

Order No.	12491
------------------	--------------

M2000 - short version



Inlet	M22x1.5 male
Output	Quick-Release coupling D12

Order No.	12492
------------------	--------------

M2000 - with extension



Inlet	M22x1.5 male
Output	M22x1.5 female

Order No.	12480
------------------	--------------

M2000 - with extension



Inlet	M22x1.5 male
Output	Quick-Release coupling D12

Order No.	12481
------------------	--------------

M2000 - with Midi style ext.



Inlet	M22x1.5 male
Output	M22x1.5 female

Order No.	12489
------------------	--------------

M2000 - Repair kit



Order No.	12454
------------------	--------------

M2000 - one-piece



Fig. 12486-D25045

- with stainless steel lance cranked and flat jet nozzle
- Inlet: M22x1.5 male

Nozzle size	Colour	Order No.
without HP nozzle		12486-XXX
D2503	○	12486-D2503
D25035	●	12486-D25035
D2504	●	12486-D2504
D25045	●	12486-D25045
D2505	●	12486-D2505
D25055	●	12486-D25055
D2506	●	12486-D2506
D2507	●	12486-D2507
D2508	●	12486-D2508

M2001

Working pressure max.	bar / MPa	175 / 17,5
Water flow rate max.	l/min	20
Temperature max.	°C	150

M2001 - 900 mm



Inlet	M22x1.5 male
Output	Quick-Release coupling D10

Order No.	12487
------------------	--------------

M2001 - 500 mm



Inlet	M22x1.5 male
Output	Quick-Release coupling D10

Order No.	12475
------------------	--------------

M2001 - Repair kit



Order No.	12461
------------------	--------------

OTHER PARTS - TRIGGER GUNS WITH SAFETY CATCH

Quick-Release coupling



Fig. 13450

Inlet	Output	Order No.
M12x1 female	D 10	13431
1/4" female	D 12	13450
1/4" male	D 12	13451
3/8" female	D 12	13452
3/8" male	D 12	13453

Quick-Release insert - made of hardened stainless steel



Fig. 13440



Fig. 13471

Inlet	Output	Order No.
D 10	M12x1 female	13440
D 10	1/4" male	13443
D 12	1/4" female	13470
D 12	M22x1.5 male	13471
D 12	M12x1 female	13474
D 12	1/4" male	13475
D 12	3/8" male	13476

O-rings



■ Replacement O-rings for Quick-Release coupling

Order No.	134451	13460
O-rings	9.19 x 2.62	11.0 x 4.0
Quick-Release coupling	D 10	D 12

O-rings



■ O-rings for all Kränzle screw together threaded fittings M22x1.5 female

Order No.	132735	132736
O-rings	9.3 x 2.4	9.3 x 2.4
Quantity	10	100

